ELSEVIER

Neuroscience Letters 240 (1998) 183–185

Neuroscience Letters

Author Index to Volume 240

Adlard, M., see Hucklebridge, F., 29
Akai, F., see Maeda, M., 69
Albert, J.S., see Yamamoto, N., 50
Aldudo, J., Bullido, M.J., Arbizu, T., Oliva, R., Valdivieso, F., Identification of a novel mutation (Leu282Arg) of the human presenilin 1 gene in Alzheimer's disease, 174
Arbizu, T., see Aldudo, J., 174
Assmann, G., see Stögbauer, F., 1

Başar, E., see Schürmann, M. 41
Başar-Eroglu, C., see Schürmann, M. 41
Bahn, E., see Otto, M., 171
Ballesta, F., see Ezquerra, M., 107
Barrier, L., see Huguet, F., 102
Barth, F.G., see Endl, W., 58
Bartlett, P.F., see Marzella, P.L., 77
Bennis, M., Repérant, J., Tramu, G., Evidence for co-existence of CCK-8 and GnRH in neurons of the mesencephalic tegmentum in the chameleon, 155
Benussi, L., Govoni, S., Gasparini, L., Binetti, G., Trabucchi, M., Bianchetti, A., Racchi, M., Specific role for protein kinase Cα in the constitutive and regulated secretion of amyloid precursor protein in human skin fibroblasts, 97
Bernstein, H.-G., Reichenbach, A., Wiederanders, B., Cathepsin E immunoreactivity in human ocular tissues: influence of aging and pathological states, 135
Besnard, J.-C., see Zimmer, L., 177
Beuche, W., see Otto, M., 171
Bianchetti, A., see Benussi, L., 97
Bielavska, E., see Gallo, M., 61
Binetti, G., see Benussi, L., 97
Blesa, R., see Ezquerra, M., 107
Boekhoff, I., see Otto, M., 171
Boer, G.J., see van Esseveldt, K.E., 116
Breton, P., see Zimmer, L., 177
Bullido, M.J., see Aldudo, J., 174
Bures, J., see Gallo, M., 61

Campbell, J.N., see Shir, Y., 73
Carstens, E., see Dessirier, J.-M., 65
Chalon, S., see Huguet, F., 102
Chalon, S., see Zimmer, L., 177
Cheron, G., see Pozzo, T., 159
Clark, G.M., see Marzella, P.L., 77
Clow, A., see Hucklebridge, F., 29

Deecke, L., see Endl, W., 58
Dessirier, J.-M., O'Mahony, M., Sieffermann, J.-M., Carstens, E., Mecamylamine inhibits nicotine but not capsaicin irritation on the tongue: psychophysical evidence that nicotine and capsaicin activate separate molecular receptors, 65
Doyle, A., see Hucklebridge, F., 29
Dube, M.G., see Kalra, S.P., 45
Durand, G., see Zimmer, L., 177

Endl, W., Walla, P., Lindinger, G., Lalouschek, W., Barth, F.G., Deecke, L., Lang, W., Early cortical activation indicates preparation for retrieval of memory for faces: an event-related potential study, 58
Eriste, E., see Kalda, A., 21
Evans, P., see Hucklebridge, F., 29
Ezquerra, M., Blesa, R., Tolosa, E., Ballesta, F., Oliva, R., α-Antichymotrypsin gene polymorphism and risk for Alzheimer's disease in the Spanish population, 107

Ferrer, I., Martí, E., Distribution of fibroblast growth factor receptor-1 (FGFR-1) and FGFR-3 in the hippocampus of patients with Alzheimer's disease, 139
Firestone, L.L., see Krasowski, M.D., 81
Forss, N., see Hari, R., 131
Fu, T.-C., see Lin, T.-B., 85
Fukuuchi, Y., see Takeda, H., 5
Funke, H., see Stögbauer, F., 1
Fuwa, T., see Miwa, H., 167

Gallo, M., Bielavska, E., Roldán, G., Bures, J., Tetrodotoxin inactivation of the gustatory cortex disrupts the effect of the *N*-methyl-D-aspartate antagonist ketamine on latent inhibition of conditioned taste aversion in rats, 61
Gao, W.-C., Qiao, J.-T., Nitric oxide contributes to both spinal nociceptive transmission and its descending inhibition in rats: an immunocytochemical study, 143
Gasparini, L., see Benussi, L., 97
Govoni, S., see Benussi, L., 97
Graf, W., see Imagawa, M., 127
Guerraoui, A., see Huguet, F., 102
Guilloteau, D., see Huguet, F., 102
Guilloteau, D., see Zimmer, L., 177
Gwag, B.J., see Sohn, S., 147

Hänninen, R., see Hari, R., 131
Haas, H.L., see Yanovsky, Y., 110
Halvorsen, S.W., see Wang, X., 9
Hari, R., Hänninen, R., Mäkinen, T., Jousmäki, V., Forss, N., Seppä, M., Salonen, O., Three hands: fragmentation of human bodily awareness, 131
Harrison, N.L., see Krasowski, M.D., 81
Hayashi, Y., see Maeda, M., 69
Hembert, S., see Zimmer, L., 177

PII S0304-3940(98)00048-2

Hermens, W.T.J.M.C., see van Esseveldt, K.E., 116
Holstege, G., see VanderHorst, V.G.J.M., 13
Homanics, G.E., see Krasowski, M.D., 81
Hucklebridge, F., Doyle, A., Pang, F.-Y., Adlard, M., Evans, P., Clow, A., Regional and molecular separation of the four bioactivities of 'tribulin', 29
Huguet, F., Guerraoui, A., Barrier, L., Guilloteau, D., Tallineau, C., Chalon, S., Changes in excitatory amino acid levels and tissue energy metabolites of neonate rat brain after hypoxia and hypoxia-ischemia, 102

Imagawa, M., Graf, W., Sato, H., Suwa, H., Isu, N., Izumi, R., Uchino, Y., Morphology of single afferents of the saccular macula in cats, 127
Isu, N., see Imagawa, M., 127
Ito, D., see Takeda, H., 5
Ito, H., see Yamamoto, N., 50
Izumi, R., see Imagawa, M., 127

Jikihara, I., see Maeda, M., 69
Jimbo, K., Noda, K., Suzuki, K., Yoda, K., Suppressive effects of low-power laser irradiation on bradykinin evoked action potentials in cultured murine dorsal root ganglion cells, 93
Jousmäki, V., see Hari, R., 131

Kalda, A., Eriste, E., Vassiljev, V., Zharkovsky, A., Medium transitory oxygen-glucose deprivation induced both apoptosis and necrosis in cerebellar granule cells, 21
Kalra, P.S., see Kalra, S.P., 45
Kalra, S.P., Xu, B., Dube, M.G., Moldawer, L.L., Martin, D., Kalra, P.S., Leptin and ciliary neurotropic factor (CNTF) inhibit fasting-induced suppression of luteinizing hormone release in rats: role of neuropeptide Y, 45
Kilpatrick, T.J., see Marzella, P.L., 77
Kim, E.Y., see Sohn, S., 147
Kobari, M., see Takeda, H., 5
Korhonen, L., Riikonen, R., Nawa, H., Lindholm, D., Brain derived neurotrophic factor is increased in cerebrospinal fluid of children suffering from asphyxia, 151
Krasowski, M.D., Rick, C.E., Harrison, N.L., Firestone, L.L., Homanics, G.E., A deficit of functional $GABA_A$ receptors in neurons of β_3 subunit knockout mice, 81
Kuhlenbäumer, G., see Stögbauer, F., 1
Kurlemann, G., see Stögbauer, F., 1
Kwok, Y.N., see Wakabayashi, Y., 89

Löscher, W., Wlaź, P., Szabo, L., Focal ischemia enhances the adverse effect potential of *N*-methyl-D-aspartate receptor antagonists in rats, 33
Lalouschek, W., see Endl, W., 58
Lang, W., see Endl, W., 58
Li-Hsian Chen, C.P., see Makjanic, J., 123
Lin, T.-B., Fu, T.-C., Can antidromic stimulation of rat muscle afferents modulate the sensitivity of muscle spindles?, 85
Lindholm, D., see Korhonen, L., 151
Lindinger, G., see Endl, W., 58
Ling, K., Ma, L., Pei, G., Differential efficacies of κ agonists to induce homologous desensitization of human κ opioid receptor, 25

Mäkinen, T., see Hari, R., 131
Ma, L., see Ling, K., 25
Maeda, M., Sugiyama, T., Akai, F., Jikihara, I., Hayashi, Y., Takagi, H., Single stranded DNA as an immunocytochemical marker for apoptotic change of ischemia in the gerbil hippocampus, 69
Maeda, T., see Wakabayashi, Y., 89
Makjanic, J., McDonald, B., Li-Hsian Chen, C.P., Watt, F., Absence of aluminium in neurofibrillary tangles in Alzheimer's disease, 123
Martí, E., see Ferrer, I., 139
Martin, D., see Kalra, S.P., 45
Marzella, P.L., Clark, G.M., Shepherd, R.K., Bartlett, P.F., Kilpatrick, T.J., Synergy between TGF-β3 and NT-3 to promote the survival of spiral ganglia neurones in vitro, 77
Matsumoto, M., see Togashi, H., 53
McDonald, B., see Makjanic, J., 123
McIntyre, J., see Pozzo, T., 159
Meijer, E., see VanderHorst, V.G.J.M., 13
Misawa, M., see Tsuda, M., 113
Miwa, H., Fuwa, T., Nishi, K., Mizuno, Y., Effects of the globus pallidus lesion on the induction of c-Fos by dopaminergic drugs in the striatum possibly via pallidostriatal feedback loops, 167
Mizuno, Y., see Miwa, H., 167
Moldawer, L.L., see Kalra, S.P., 45
Mori, K., see Tamada, A., 163
Mori, K., see Togashi, H., 53

Nawa, H., see Korhonen, L., 151
Nelis, E., see Stögbauer, F., 1
Nishi, K., see Miwa, H., 167
Noda, K., see Jimbo, K., 93

Ohno, M., Watanabe, S., Enhanced *N*-methyl-D-aspartate function reverses working memory failure induced by blockade of group I metabotropic glutamate receptors in the rat hippocampus, 37
Oka, Y., see Yamamoto, N., 50
Oliva, R., see Aldudo, J., 174
Oliva, R., see Ezquerra, M., 107
O'Mahony, M., see Dessirier, J.-M., 65
Otto, M., Bahn, E., Wiltfang, J., Boekhoff, I., Beuche, W., Decrease of S100 beta protein in serum of patients with amyotrophic lateral sclerosis, 171

Pang, F.-Y., see Hucklebridge, F., 29
Papaxanthis, C., see Pozzo, T., 159
Pei, G., see Ling, K., 25
Pozzo, T., McIntyre, J., Cheron, G., Papaxanthis, C., Hand trajectory formation during whole body reaching movements in man, 159

Qiao, J.-T., see Gao, W.-C., 143

Racchi, M., see Benussi, L., 97
Raja, S.N., see Shir, Y., 73
Ratner, A., see Shir, Y., 73
Reichenbach, A., see Bernstein, H.-G., 135
Repérant, J., see Bennis, M., 155
Rick, C.E., see Krasowski, M.D., 81
Riikonen, R., see Korhonen, L., 151
Ringelstein, E.B., see Stögbauer, F., 1
Roldán, G., see Gallo, M., 61

Saito, H., see Togashi, H., 53

Salonen, O., see Hari, R., 131
Sato, H., see Imagawa, M., 127
Sawai, N., see Yamamoto, N., 50
Schürmann, M. Başar-Eroglu, C., Başar, E., Evoked EEG alpha oscillations in the cat brain – a correlate of primary sensory processing?, 41
Schasfoort, F.C., see VanderHorst, V.G.J.M., 13
Seltzer, Z., see Shir, Y., 73
Seppä, M., see Hari, R., 131
Shepherd, R.K., see Marzella, P.L., 77
Shir, Y., Ratner, A., Raja, S.N., Campbell, J.N., Seltzer, Z., Neuropathic pain following partial nerve injury in rats is suppressed by dietary soy, 73
Sieffermann, J.-M., see Dessirier, J.-M., 65
Sohn, S., Kim, E.Y., Gwag, B.J., Glutamate neurotoxicity in mouse cortical neurons: atypical necrosis with DNA ladders and chromatin condensation, 147
Stögbauer, F., Young, P., Wiebusch, H., Timmerman, V., Kuhlenbäumer, G., Nelis, E., Ringelstein, E.B., Kurlemann, G., Assmann, G., Van Broeckhoven, C., Funke, H., Absence of mutations in peripheral myelin protein-22, myelin protein zero, and connexin 32 in autosomal recessive Dejerine-Sottas syndrome, 1
Suda, N., see Togashi, H., 53
Sugiyama, T., see Maeda, M., 69
Suwa, H., see Imagawa, M., 127
Suzuki, K., see Jimbo, K., 93
Suzuki, T., see Tsuda, M., 113
Szabo, L., see Löscher, W., 33

Takagi, H., see Maeda, M., 69
Takao, M., see Takeda, H., 5
Takeda, H., Tomita, M., Tanahashi, N., Kobari, M., Yokoyama, M., Takao, M., Ito, D., Fukuuchi, Y., Hydrogen peroxide enhances phagocytic activity of ameboid microglia, 5
Tallineau, C., see Huguet, F., 102
Tamada, A., Yoshihara, Y., Mori, K., Dendrite-associated cell adhesion molecule, telencephalin, promotes neurite outgrowth in mouse embryo, 163
Tanahashi, N., see Takeda, H., 5
Timmerman, V., see Stögbauer, F., 1
Togashi, H., Mori, K., Ueno, K.-i., Matsumoto, M., Suda, N., Saito, H., Yoshioka, M., Consecutive evaluation of nitric oxide production after transient cerebral ischemia in the rat hippocampus using in vivo brain microdialysis, 53
Tolosa, E., see Ezquerra, M., 107
Tomita, M., see Takeda, H., 5
Tomoyoshi, T., see Wakabayashi, Y., 89
Trabucchi, M., see Benussi, L., 97
Tramu, G., see Bennis, M., 155
Tseng, S.-H., Suppression of autotomy by *N*-methyl-D-aspartate receptor antagonist (MK-801) in the rat, 17
Tsuda, M., Suzuki, T., Misawa, M., Region-specific changes in [^{3}H]dizocilpine binding in diazepam-withdrawn rats, 113

Uchino, Y., see Imagawa, M., 127
Ueno, K.-i., see Togashi, H., 53

Valdivieso, F., see Aldudo, J., 174
Van Broeckhoven, C., see Stögbauer, F., 1
van Esseveldt, K.E., Hermens, W.T.J.M.C., Verhaagen, J., Boer, G.J., Transgene expression in rat fetal brain grafts is maintained for 7 months after ex vivo adenoviral vector-mediated gene transfer, 116
Van Leeuwen, F.W., see VanderHorst, V.G.J.M., 13
VanderHorst, V.G.J.M., Schasfoort, F.C., Meijer, E., Van Leeuwen, F.W., Holstege, G., Estrogen receptor-alpha-immunoreactive neurons in the periaqueductal gray of the adult ovariectomized female cat, 13
Vassiljev, V., see Kalda, A., 21
Verhaagen, J., see van Esseveldt, K.E., 116

Wakabayashi, Y., Maeda, T., Tomoyoshi, T., Kwok, Y.N., Increase of growth-associated protein-43 immunoreactivity following cyclophosphamide-induced cystitis in rats, 89
Walla, P., see Endl, W., 58
Wang, X., Halvorsen, S.W., Retinoic acid up-regulates ciliary neurotrophic factor receptors in cultured chick neurons and cardiomyocytes, 9
Watanabe, S., see Ohno, M., 37
Watt, F., see Makjanic, J., 123
Wiebusch, H., see Stögbauer, F., 1
Wiederanders, B., see Bernstein, H.-G., 135
Wiltfang, J., see Otto, M., 171
Wlaź, P., see Löscher, W., 33

Xu, B., see Kalra, S.P., 45

Yamamoto, N., Oka, Y., Yoshimoto, M., Sawai, N., Albert, J.S., Ito, H., Gonadotropin-releasing hormone neurons in the gourami midbrain: a double labeling study by immunocytochemistry and tracer injection, 50
Yanovsky, Y., Haas, H.L., Histamine increases the bursting activity of pyramidal cells in the CA3 region of mouse hippocampus, 110
Yoda, K., see Jimbo, K., 93
Yokoyama, M., see Takeda, H., 5
Yoshihara, Y., see Tamada, A., 163
Yoshimoto, M., see Yamamoto, N., 50
Yoshioka, M., see Togashi, H., 53
Young, P., see Stögbauer, F., 1

Zharkovsky, A., see Kalda, A., 21
Zimmer, L., Hembert, S., Durand, G., Breton, P., Guilloteau, D., Besnard, J.-C., Chalon, S., Chronic n-3 polyunsaturated fatty acid diet-deficiency acts on dopamine metabolism in the rat frontal cortex: a microdialysis study, 177